


## Mouse Anti-Human IgG Fc Clone H2 Biotin mAb

<b>Catalog No.</b>	CMH016	<b>Quantity:</b>	500 µg
<b>Description:</b>	Mouse Anti-Human IgG Fc Clone H2 Biotin mAb		
<b>Concentration:</b>	500 µg/mL		
<b>Specificity:</b>	Human/Rhesus/Cynomolgus/Chimpanzee/African Green Monkey/Mangabey/Pigtail IgG Fc		
<b>Isotype:</b>	Mouse IgG <sub>2b</sub> k		
<b>Clone:</b>	H2		
<b>Conjugate:</b>	Biotin.		
<b>Formulation:</b>	PBS/NaN <sub>3</sub> .		
<b>Isotype Control</b>	Mouse IgG <sub>2b</sub> -Biotin.		
<b>Application Notes:</b>	<p><b>ELISA:</b> suggested dilutions 1:10,000 – 1:20,000</p> <p><b>Flow Cytometry:</b> use ≤ 1 µg/10<sup>8</sup> cells, final volume of 100 µL</p> <p><b>Western blot</b> Determine the optimum working dilution that is appropriate for your specific application. □</p>		
<b>Storage &amp; Stability:</b>	Store at 2-8°C. □		

ELISA plate was coated with purified human IgG, IgM, and IgA. Immunoglobulins were detected with serially diluted Mouse Anti-Human IgG Fc-Biotin followed by Streptavidin-HRP (Cat. No. CPO016).



**NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.**

