

Human B-cells, 28 kD clone MB2 Monoclonal Antibody

Catalog No.: MON 7026

Quantity: 1 ml

Specificity

This antibody reacts with all B-cells. Further positive reactions with epithelia and endothelial cells. In immunoblots it reacts with a 28 kD protein. Antigen origin: human lymphocytes.
Antigen location: cytoplasm.

Immunoglobulin type

Murine IgG₁

Use

The antibody can be used in immunohistochemistry on frozen and paraffin embedded tissue.

Instructions for use

For use in paraffin embedded tissue no antigen pretreatment is needed but better results could be obtained if a TUF (cat.no. T 10333) pretreatment is performed with an antibody dilution of 1:20. Working dilution for regular immunohistochemistry is approximately 1:5-1:40, but the optimal dilution should be tested by serial dilutions. Positive control: tonsil.

Presentation

1 ml tissue culture supernatant with 0.1% sodium azide.

FOR RESEARCH USE ONLY, NOT FOR DRUG, DIAGNOSTIC OR OTHER USE



Cell Sciences, Inc.
480 Neponset Street
Bldg 12A
Canton, MA 02021

Toll Free: 888-769-1246
Phone: 781-828-0610
Fax: 781-828-0542

E-mail: info@cellsciences.com
Web Site: www.cellsciences.com