

Dffb

Synthetic Mouse DNA Fragmentation Factor beta polyBlocking Peptide (Caspase-Activated DNase)(aa 205-222) Blocking Peptide

Catalog No.	PX013BP	Quantity:	50 µg
Alternate Names:	40kDa, CAD, CPAN, DFF40, Didff, DNA fragmentation factor, 40 kD, beta subunit, DNase inhibited by DNA fragmentation factor, caspase-activated DNase		
Description:	Amino acids 205 to 222 of murine CAD.		
Gene ID:	13368		
Application:	The peptide is used for blocking the activity of anti-CAD.. Incubating the peptide with equal volume of antibody for 30 min at 37°C usually completely blocks the antibody activity in Western blotting.		
Formulation:	It is supplied as 200 µg/ml, 50 µg/vial , in PBS pH7.2 (10 mM NaH ₂ PO ₄ , 10 mM, Na ₂ HPO ₄ , 130 mM NaCl) containing 0.1% bovine serum albumin and 0.02% sodium azide.. Precaution: Sodium azide is a poisonous and hazardous substance which should be handled by trained staff only.		
Sequence:	YNGSYFDRGAEASSRL		
Storage & Stability:	Store at -20°C, stable for one year.		

NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

