

Dffa

Synthetic Mouse DNA Fragmentation Factor Alpha subunit (aa 312-331)(CT) Blocking Peptide

Catalog No.	PX026BP	Quantity:	50 µg
Alternate Names:	A330085O09Rik, DFF35, Dff45, ICAD, ICAD-L, ICAD-S.		
Description:	Amino acids 312 to 331 of mouse ICAD		
Gene ID:	13347		
Application:	The peptide is used for blocking the activity of anti-ICAD. Incubating the peptide with equal volume of antibody for 30 min at 37°C usually completely blocks the antibody activity in Western blotting.		
Formulation:	It is supplied as 200 µg/ml, 50 µg/vial, in PBS pH7.2 (10 mM NaH ₂ PO ₄ , 10 mM, Na ₂ HPO ₄ , 130 mM NaCl) containing 0.1% bovine serum albumin and 0.02% sodium azide.. Precaution: Sodium azide is a poisonous and hazardous substance which should be handled by trained staff only.		
Sequence:	RRSPLPGEPQRPKRAKRDS		
Storage & Stability:	Store at -20°C, stable for one year.		

NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

